#### Subject: DIPLOMA IN PHARMACY

(Booklet Number)

**Duration: 2 Hour** 

Full Marks: 100

#### INSTRUCTIONS

- 1. All questions are of objective type having four answer options for each. Only one option is correct. Correct answer will carry full marks 1. In case of incorrect answer or any combination of more than one answer, ¼ marks will be deducted.
- 2. Questions must be answered on OMR sheet by darkening the appropriate bubble marked A. B, C or D.
- 3. Use only **Black/Blue ball point pen** to mark the answer by complete filling up of the respective bubbles.
- 4. Mark the answers only in the space provided. Do not make any stray mark on the OMR.
- 5. Write question booklet number and your roll number carefully in the specified locations of the OMR. Also fill appropriate bubbles 2005
- 6. Write your name (in block letter), name of the examination centre and put your full signature in appropriate boxes in the OMR.
- 7. The OMR is liable to become invalid if there is any mistake in filling the correct bubbles for question booklet number roll number or if there is any discrepancy in the name/signature of the candidate, name of the examination centre. The OMR may also become invalid due to folding or putting stray marks on it or any damage to it. The consequence of such invalidation due to incorrect marking or careless handling by the candidate will be sole responsibility of candidate.
- 8. Candidates are not allowed to carry any written or printed material, calculator, pendocu-pen, log table, wristwatch, any communication device like mobile phones etc. inside the examination hall. Any candidate found with such items will be **reported** against & his/her candidature will be summarily cancelled.
- 9. Rough work must be done on the question paper itself. Additional blank pages are given in the question paper for rough work.
- 10. Hand over the OMR to the invigilator before leaving the Examination Hall.

Pharmacy-2019





1.	Whi	ch organ acts as both exocrine and endoc	rine ac	ctivities?	
	(A)	Liver	(B)	Spleen	
	(C)	Kidney	(D)	Pancreas	
2.	Asco	orbic acid is used as			
	(A)	Preservative	(B)	Antiulcer	
	(C)	Antioxidant	(D)	Antiemetic	
3.	Drag	gendorf('s reagent is solution of			
	(A)	Potassium mercurie iodide			
	(B)	Potassium cadmium iodide			
	(C)	Potassium bismuth iodide			
	(D)	Potassium iodide			
4.	Quin	nine and quinidine differ in			
	(A)	Chemical structure		n f	
	(B)	Solubility			
	(C)	Rotating the plane of polarised light			
	(D)	Obtained from different plant	-		
5.	Alla	re non-essential amino acid, except :			
	(A)	Tyrosine	(B)	Serine	
	(C)	Glycine	(D)	Valine	
6.	Foxe	love leaf is a synonym of			
	$(\Lambda)$	Digitalis	(B)	Senna	
	(C)	Vinca	(D)	Vasaka	
7.	Whic	ch one is β-lactamase inhibitor?			
	(A)	Pantothenic acid	(B)	Clavulanic acid	
	(C)	Ethacrynic acid	(D)	Hexadecanoic acid	
JEL	ET_Di <sub>l</sub>	ploma in Pharmacy 3			A



8.	Opi	um is detected by testing the presence	e of		
	(A)	Morphine	(E	3)	Narcotine
	(C)	Meconic acid	(I	))	Papaverine
9.	Whi	ich one of these antihistaminic drugs	is used a	ıs a	appetite stimulant?
	(A)	Promethazine hydrochloride	(E	3)	Pheniramine maleate
	(C)	Fexofenadine	(Γ	))	Cyproheptadine
10.	Two	polypeptide chain in insulin is linke	d togeth	er	by
	(A)	Hydrogen bond	(B	3)	Disulphide bond
	(C)	Covalent bond	(1)	))	Nitrogen bond
11.	The	main requirements of eye drop is tha	ι		
	(A)	Isotonic	(B	3)	Sterile
	(C)	Free from foreign particles	(E	))	Aff of these
12.	Gree	en tea contains	1		
	(A)	Protocatechuic acid	/* (B	()	Catechol
	(C)	Tannic acid	(D	)	Vitamin C
13.	The	role of Vitamin E is as an			
	(A)	Antithrombotic	(B	)	Antihemorrhagic
	(C)	Antixerophthalmic	(D	)	Antisterility
14.	FT-I	R analysis of a sample is done to dete	ect the		
	(A)	Miscibility studies			
	(B)	Solubility studies			
	(C)	Interaction studies between function	nal group	os	
	(D)	Surface morphology studies			
15.	Whi	ch one is wall less bacterium?			
	(A)	Rickttesiae	(B	)	E. coli
	(C)	Mycoplasma	(D		P. notatum
JEL	ET_Di	ploma in Pharmacy	4		



16.	Che	emical name of Vitamin K is		
	(A)	Menadione	(B)	Thiamine
	(C)	Ascorbic acid	(D)	Ionositol
17.	Whi	ich one is obligate parasite ?		
	(A)	Vibrio cholerae	(B)	Clostridium tetani
	(C)	Treponema pallidum	(D)	Bacillus subtilis
18.	Men	ndel's paint contains		
	$(\Lambda)$	Λg	(B)	Zn
	(C)	Sn	(D)	$I_2$
19.	Whi	ch barrier prevents the entry of Dopan	nine in the	e treatment of parkinsonism ?
	(A)	Blood brain barrier	(B)	Placental barrier
	(C)	Cerebrospinal fluid barrier	(D)	Intestinal fluid
20.	Trop	pane ring containing alkaloid is obtaine	ed from	artid
	(A)	Belladonna	(B)	Épĥedra
	(C)	Belladonna Ergot	(D)	Vinca
21.		ch of the following compound fol tural similarities?	lows cor	mpetitive enzyme inhibition due to
	(A)	Amoxycillin and clavulanic acid	(B)	Levodepa and carbidopa
	(C)	Penicillin and probenecid	(D)	Sulfamethoxazole and trimethoprim
22.	Aloe	belongs to family		
	(A)	Apocynaceae	(B)	Rubiaceae
	(C)	Solanaceae	(D)	Liliaceae
23.	The p	popular IUCD is		
	$(\Lambda)$	Condom	(B)	Copper T
	(C)	Foam tablet	(D)	Cream
JELI	ET_Di	ploma in Pharmacy	5	



24.	Dioc	etyl Sodium sulfosuccinate is used in to	oth paste	e as
	(A)	Sweetening agent	(B)	Surface active agent
	(C)	Humectant	(D)	Binder
25.	Caff	eine is		
	(A)	3,7-dimethyl xanthine	(B)	1,3-dimethyl xanthine
	(C)	1,3,7-trimethyl xanthine	(D)	1.7-dimethyl xanthine
26.		of different diseases in which a drug	may not	cure under the Drugs and Cosmetics
	$(\Lambda)$	Schedule-C and – C1	(B)	Schedule-J
	(C)	Schedule-O	(D)	Schedule-P
27.		he limit test of arsenic, which inst maceuticals?	rument	is used to detect the impurities in
	(A)	Gutzeit apparatus	(B)	Ressler cylinder
	(C)	Kipp's apparatus	*(D)*	Deionizer
28.	Tetra	acycline group of drugs are contraindic	% ated with	antacids due to
	(A)	Conjugation	(B)	Hydroxylation
	(C)	Chelation	(D)	Oxidation
29.	Whi	ch of the alkaloids are liquid and volati	le in natu	ire?
	(A)	Nicotine and coniine	(B)	Morphine and papaverine
	(C)	Atropine and quinine	(D)	Vincristine and vinblastine
30.	Phar	maceutical Products from biological or	rigin shou	ıld be stored in
	(A)	−4 °C	(B)	0 °C
	(C)	above 20 °C	(D)	2 to 10 °C
31.	A su	icide enzyme is		
	(A)	Lipoxygenase	(B)	Phospholipase A1
	(C)	Cyclooxygenase	(D)	Phospholipase A2
IELI	ET_Di	ploma in Pharmacy 6		A



32.	Stati	in group of drugs are use	ed in the treatme	nt of		
	(A)	Osteoarthritis		(B)	Xerophthalmia	
	(C)	Parkinsonism		(D)	Atherosclerosis	
33.	How	many volumes of the la	atest edition of I.	P., 201	8 ?	
	(A)	Three		(B)	Five	
	(C)	Four		(D)	Six	
34.	Whi	ch antiviral drug used in	the treatment of	î Parkir	nsonism ?	
	(A)	Acyclovir		(B)	Amantadine	
	(C)	Zidovudine		(D)	Azadirachtin	
35.	Pyro	gen is				
	(A)	Endotoxin of Gram Ne	gative bacteria			
	(B)	Exotoxin of Gram Pos	itive bacteria			
	(C)	Interferon				
	(D)	Bacterial metabolites			**************************************	
36.	Acut	e apex and asymmetrica	l leaf base is fou	ınd in t	he leaf of	
	(A)	Vasaka			Vinca	
	(C)	Digitalis		(D)	Senna	
37.	Whic	ch one is morphine antag	gonist '?			
	(A)	Codeine		(B)	Nalorphine	
	(C)	Prostaglandin		(D)	Pethidine	
38.	Dieth	nylcarbamazine citrate is	used in the treat	tment c	of	
	(A)	Leprosy		(B)	Dengue	
	(C)	Malaria		(D)	Filariasis	
39.	The r	most essential fatty acid	is			
	$(\Lambda)$	Palmitic acid		(B)	Linolenic acid	
	(C)	Arachidonic acid		(D)	Stearic acid	
JELI	ET_Di <sub>l</sub>	oloma in Pharmacy	7			



40.	Prot	ein energy malnutrition causes		
,	(A)	Marasmus	(B)	Obesity
	(C)	Diabetes	(D)	Cancer
41.	Larg	actil is a common name for		
	$(\Lambda)$	Prochloeperazine	(B)	Chlorpromazine
	(C)	Perphenazine	(D)	Promethazine
42.	The	constituent of a vital enzyme carboni	c anhydras	ee is
	(A)	Manganese	(B)	Calcium
	(C)	Zinc	(D)	Iodine
43.	The	diagnostic agent `propyliodone` is us	ed for	
	(A)	Urography	(B)	Bronchography
	(C)	Arteriography	(D)	Myelography
			Con my	
44.		ohagia means	de la companya de la	T. 100
	(A)	Difficulty in urination	(B)	Difficulty in defecation
	(C)	Difficulty in breathing	(D)	Difficulty in swallowing
45.	Lign	ified trichomes are identifying charac	eteristic fea	iture of
	(A)	Dartura	(B)	Nux-Vomica
	(C)	Digitalis	(D)	Senna
46.	Whie	ch drug is uterine smooth muscle rela	exant ?	
	(A)	Dexfenfluramine	(B)	Lactulose
	(C)	Isoxsuprine	(D)	Ramipril
<b>4</b> 7.	Acti	ve form of levodopa is		
	(A)	Carbidopa	(B)	Dopamine
	(C)	Epinephrine	(D)	Nor-adrenaline
JEL	ET_Di	ploma in Pharmacy	8	



A

48.	Hep	parin is a		
	(A)	Protein	(B)	Homopolysaccharide
	(C)	Heteropolysaccharide	(D)	Fat
49.	Mic	haelis-Menten equation is related to		
	(A)	Enzyme activity	(B)	Glomerular filtration rate
	(C)	Renal blood flow	(D)	Pulmonary ventilation
50.	Une	ven colour distribution on tablet surface	is kno	wn as
	(A)	Mottling	(B)	Picking
	(C)	Sticking	(D)	Capping
51.	Sodi	um citrate in ORS acts as		
	(A)	Systemic acidifier	(B)	Systemic alkalinizer
	(C)	Mood stabilizer	(D)	Thirst quenching
52.	Glon	nerular filtration rate (GFR) is measured	h.	The state of the s
	(A)	Para-aminohippuric acid	(B)	Glucose
	(C)	Lactose	(D)	Inulin
53.	Bariu	ım sulphate is a		
	(A)	Cathartic	(B)	Radiopaque substance
	(C)	Protective	(D)	Fecal softener
54.	Mixii	ng of quinine and salicylate, the followin	g type	of incompatibility occur:
	(A)	Chemical incompatibility	(B)	Therapeutic incompatibility
	(C)	Physical incompatibility	(D)	Liquefaction incompatibility
55.	First l	Indian Pharmacopoeia was published in		
	(A)	1955	(B)	1966
	(C)	1976	(D)	1980
JELE	T_Dip	doma in Pharmacy 9		



56.	Herr	metically sealed container						
	(A)	protects loss of product during handl	ing.					
	(B)	is impervious to air.						
	(C)	is light resistant.						
	(D)	prevent loss of product from efferves	scence.					
57.	Ame	elia induced by thalidomide is						
	(A)	Allergic disease	(B)	Idiosyncratic disease				
	(C)	Teratogenic disease	(D)	Neoplastic disease				
58.	Ergo	ot preparations are useful in migraine d	ue to its					
	(A)	Oxytocic action	(B)	Vasoconstriction action				
	(C)	α-receptor blocking action	(D)	Musearinic action				
59.	The	ideal antiseptic concentration of ethyl a	alcohol i	s				
	(A)	70 %	(B)	30 <b>-18</b>				
	(C)	50 %	(D)	<b>√9</b> \$ %				
				i je se				
60.	Red	colour of Tr. Card. Co. is due to the pr	<b>ဇိန္နဧ</b> ညှင်ဧ ဝ	f				
	(A)	Zine oxide	(B)	Red oxide				
	(C)	Amaranth	(D)	Cardamom				
61.	Follo	Following constituents are antitussive, but which one is addicting?						
	(A)	Glycyrrhizin	(B)	Vasicine				
	(C)	Tolu balsam	(D)	Codeine				
62.	Selec	ct the beneficial bacterium of the follow	vings :					
	(A)	S. typhi	(B)	L. mesenteroides				
	(C)	E. coli	(D)	C. botulinum				
63.	Unw	anted effect of isoniazid is						
	(A)	Megaloblastic anaemia	(B)	Hemolytic anaemia				
	(C)	Aplastic anaemia	(D)	Iron deficiency anaemia				
JELI	ET_Di	ploma in Pharmacy 10	)		A			



64.	Sod	ium metabisulfīte is used in p	pharmaceutical pro	eparation as	
	(A)	Oxidant	(B)	Reductant	
	(C)	Antimicrobial	(D)	Tonicity enhancer	
65.	Whi	ich of the following is autoin	nmune disease ?		
	(A)	Congestive heart failure	(B)	Cholelithiasis	
	(C)	Gray baby syndrome	(D)	Myasthenia gravis	
66.	Peni	cillamine is an antidote for			
	(Á)	Copper poisoning	(B)	Penicillin overdose	
	(C)	Iron poisoning	(D)	Alkali poisoning	
67.	Surg	gical dressings are sterilized b	oy.		
	(A)	Dry heat sterilization	(B)	Gascous sterilization	
	(C)	Radiation sterilization	(D)	Moist heat sterilization	
68.		abolic acidosis is treated by	. 47		
	(A)	Ammonium chloride	(B);	*Sodium chloride	
	(C)	Sodium bicarbonate	<b>(</b> D)	8odium chloride Sodium carbonate	
69.	Whic	ch one of these has smooth m	nuscle relaxant pro	perty?	
	(A)	Dobutamine	(B)	Meteraminol	
	(C)	Dexedrine	(D)	Isoxsuprine	
70.	Isosc	orbide dinitrate is usually adn	ninistered by		
	(A)	Sublingual route	(B)	Oral route	
	(C)	Intravenous route	(D)	Subcutaneous route	
71.	Мус	osis is related to			
	(A)	Viral infection	(B)	Bacterial infection	
	(C)	Fungal infection	(D)	Nosocomial infection	
JEL	ET_Di <sub>l</sub>	ploma in Pharmacy	11		<b>A</b>



and the regime of the transfer of the state of the state

72.	Whic	ch place is not involved for the import	of drugs	by sea into india ?			
	(A)	Goa	(B)	Kolkata			
	(C)	Mumbai	(D)	Chennai			
73.	Dry	syrups are preferred to liquid syrups					
75.	(A)	because they need not be packed in b	ottle.				
	(B)	because they are easy to administer.					
	(C)	because they are economical.					
	(D)	because of stability during storage.					
74.	Sma	Il salaried people open					
	(A)	Fixed deposit	(B)	Savings deposit			
	(C)	Recurring deposit	(D)	Current deposit			
75.	The volume of injection should not exceed 10 ml in						
	(A)	Intravenous	$\mathcal{A}^{(B)}$	Întramuscular			
	(C)	Both (A) and (B)	(D)	Intradermal			
			,				
76.	Com	bination therapy is adopted in the trea	itment of	tuberculosis			
	(A)	To increase the activity of each drug	(B)	To increase the spectrum			
	(C)	To reduce the toxicity	(D)	To reduce the bacterial resistance			
77.	Stere	oidal antibiotic is					
	(A)	Kanamycin	(B)	Fusidic acid			
	(C)	Gentamicin	(D)	Polymyxin			
78.	In ic	odometric titration which indicator is u	ised?				
	$(\Lambda)$	Soluble starch	(B)	Phenol red			
	(C)	Methyl blue	(D)	Bromothymol blue			
JEL	ET_D	iploma in Pharmacy	12				



79.	In II	mit test for iron citric acid is used beca	iuse it		
	(A)	Maintains pH			
	(B)	Prevent precipitation of iron with am	monia		
	(C)	Acts as an oxidant			
	(D)	Reduces surface tension			
80.	Eryt	thropoietin is a hormone which is secre	ted from		
	(A)	Lungs	(B)	Liver	
	(C)	Kidney	(D)	Bone marrow	
81.	Cala	nmine chemically is			
	(A)	ZnCO <sub>3</sub>	(B)	$Zn(NO_3)_2$	
	(C)	$Zn(OII)_2$	(D)	ZnSO <sub>4</sub>	
82.	Muc	eus is secreted from			
	(A)	Chief cell	(B)	Oxymic cell	
	(C)	Chief cell  Goblet cell  vinylpyrrolidone (PVP) is used in the t	, m).	Paracrine cell	
83.	Poly	vinylpyrrolidone (PVP) is used in the t	∗* ablets as		
	(A)	Color modifier	(B)	Glidant	
	(C)	Binder	(D)	Disintegrating agent	
84.	Peni	cillin shows antimicrobial activity by			
	(A)	Inhibiting cell wall synthesis	(B)	Inhibiting Protein synthesis	
	(C)	Perforation of cell membrane	(D)	Alkylation of DNA	
85.	For c	chloroquine resistant malaria which dru	g is give	n ?	
	(A)	Primaquine	(B)	Sulfadoxine	
	(C)	Quinine	(D)	Proguanil	
86.	Whic	ch one possesses antithrombotic activit	y ?		
	(A)	Piroxicam	(B)	Phenylbutazone	
	(C)	Aspirin	(D)	Paracetamol	
JELI	ET_Di	ploma in Pharmacy 13			A



87.	Regi	istration of Pharmacist in State Phar	macy (	Counc	eil is valid upto
	(A)	31st March			
	(B)	One year from the date of registrat	ion		
	(C)	31st December of the year of regist	ration		
	(D)	Five years			
88.	The	request from a physician to a pharm	acist to	o disp	ense a drug is called as
	(A)	Order		(B)	Prescription
	(C)	Case sheet		(D)	Instruction manual
89.	Steri	ile powder for injection is categorize	ed unde	er	
	(A)	Solid dosage form		(B)	Liquid dosage form
	(C)	Semisolid dosage form		(D)	Implants
				e e	
90.	Whi	ch order is always followed by Radio	oactiv	Ŋ.;	
	(A)	Second order		(B)	Third order
	(C)	Zero order	**	(D)	First order
		<i>9</i>			
91.	Liqu	id oral preparation containing conce			
	(A)	Lotion		(B)	Emulsion
	(C)	Syrup		(D)	Tincture
92.		vidual member of androecium is call			
	$(\Lambda)$	Carpel		(B)	Stamen
	(C)	Sepal		(D)	Perianth
	ant.		. ,		
93.		Central Pharmacopoeia Laboratory i			
	(A)	Delhi		(B)	Mumbai
ייקן	(C)	Kasauli ploma in Pharmacy	14	(D)	Ghaziabad
السائدا	DI	proma m i naimacy	17		ſ



94.	Example of antidiuretic hormone is			
	(A)	Vasopressin	(B)	Oxytocin
	(C)	Insulin	(D)	Glucagon
95.	Seni	noside A and Sennoside B is used as		
	(A)	Purgative	(B)	Anthelmintic
	(C)	Diuretic	(D)	Astringent
96.	In C	lerk's formula, weight is mentioned as		
	(A)	pound	(B)	gram
	(C)	kilogram	(D)	grain
97.	Following are the examples of O/W emulsion, except:  (A) Milk  (C) Cold cream  (D) Vanishing cream			
	(A)	Milk	(B)√	Shaving cream
	(C)	Cold cream	(Ď)	Vanishing cream
98.	Cold	cream is also known as		
	(A)	Foundation cream	(B)	Soft cream
	(C)	Skin moisturizer	(D)	Skin protective
99.	Veegum is a/an			
	(A)	Polyol	(B)	Organic gum
	(C)	Synthetic gum	(D)	Clay
100.	Supp	ositories used for ear infection are called		
	(A)	Rockets	(B)	Cones
	(C)	Bougies	(D)	Pessaries
		The state of the s		

 ${\bf JELET\_Diploma\ in\ Pharmacy}$