SET-1

Series A6BAB/C

प्रश्न-पत्र कोड
Q.P. Code **57/6/1**

रोल नं.
Roll No.

परीक्षार्थी प्रश्न-पत्र कोड को उत्तर-पुस्तिका के मुख-पृष्ठ पर अवश्य लिखें ।
Candidates must write the Q.P. Code on the title page of the answer-book.

- कृपया जाँच कर लें कि इस प्रश्न-पत्र में मुद्रित पृष्ठ **19** हैं ।
- प्रश्न-पत्र में दाहिने हाथ की ओर दिए गए प्रश्न-पत्र कोड को परीक्षार्थी उत्तर-पुस्तिका के मुख-पृष्ठ पर लिखें ।
- कृपया जाँच कर लें कि इस प्रश्न-पत्र में **13** प्रश्न हैं ।
- **कृपया प्रश्न का उत्तर लिखना शुरू करने से पहले, उत्तर-पुस्तिका में प्रश्न का क्रमांक अवश्य लिखें ।**
- इस प्रश्न-पत्र को पढ़ने के लिए 15 मिनट का समय दिया गया है । प्रश्न-पत्र का वितरण पूर्वाह्न में 10.15 बजे किया जाएगा । 10.15 बजे से 10.30 बजे तक छात्र केवल प्रश्न-पत्र को पढ़ेंगे और इस अवधि के दौरान वे उत्तर-पुस्तिका पर कोई उत्तर नहीं लिखेंगे ।
- Please check that this question paper contains **19** printed pages.
- Q.P. Code given on the right hand side of the question paper should be written on the title page of the answer-book by the candidate.
- Please check that this question paper contains **13** questions.
- **Please write down the serial number of the question in the answer-book before attempting it.**
- 15 minute time has been allotted to read this question paper. The question paper will be distributed at 10.15 a.m. From 10.15 a.m. to 10.30 a.m., the students will read the question paper only and will not write any answer on the answer-book during this period.

जीव विज्ञान (सैद्धान्तिक)

BIOLOGY (Theory)

निर्धारित समय : 2 घण्टे | *अधिकतम अंक : 35*

Time allowed : 2 hours | *Maximum Marks : 35*

collegedunia India's largest Student Review Platform

सामान्य निर्देश :

निम्नलिखित निर्देशों को बहुत सावधानी से पढ़िए और उनका सख़्ती से पालन कीजिए :

(i) *इस प्रश्न–पत्र में* ***13*** *प्रश्न हैं ।*

(ii) ***सभी*** *प्रश्न अनिवार्य हैं ।*

(iii) *यह प्रश्न–पत्र* ***तीन*** *खण्डों में विभाजित किया गया है –* ***खण्ड अ, ब*** *और* ***स*** *।*

(iv) ***खण्ड अ*** *में* ***6*** *प्रश्न हैं, प्रत्येक प्रश्न* ***2*** *अंकों का है ।*

(v) ***खण्ड ब*** *में* ***6*** *प्रश्न हैं, प्रत्येक प्रश्न* ***3*** *अंकों का है ।*

(vi) ***खण्ड स*** *में एक प्रकरण-आधारित प्रश्न है जिसके* ***5*** *अंक हैं ।*

(vii) *सामान्यत: प्रश्न-पत्र में कोई विकल्प नहीं है । परन्तु कुछ प्रश्नों में आंतरिक विकल्प दिए गए हैं । ऐसे प्रश्नों में केवल एक विकल्प का ही उत्तर लिखना है ।*

(viii) *जहाँ आवश्यक हो, वहाँ स्वच्छ, आनुपातिक तथा समुचित नामांकित चित्र बनाइए ।*

खण्ड अ

1. शिशुओं में मृत्यु का एक प्रमुख कारण श्वास नली के निचले भाग का तीव्र श्वसनी संक्रमण (ए.आर.आई.) है, जो वायुकोष्ठ (एल्वियोली) को भी प्रभावित करता है । इससे संबद्ध रोग का नाम, रोगकारक (रोगजनक) जीवाणु का नाम लिखिए तथा इस रोग के किन्हीं दो लक्षणों का उल्लेख कीजिए । *2*

2. धान की फ़सल उगाने के समय किसान खेतों में एक विशेष प्रकार के सायनोबैक्टीरिया का छिड़काव करता है । इस सायनोबैक्टीरिया का नाम लिखकर इसके दो लाभ भी बताइए । *2*

3. (क) हमारे देश में एन.ए.सी.ओ. तथा अन्य ग़ैर-सरकारी संगठन (एन.जी.ओ.) लोगों को एड्स के बारे में शिक्षित (जागरूक) करने के लिए बहुत काम कर रहे हैं । 'एन.ए.सी.ओ.' का विस्तृत रूप लिखिए । ऐसे कोई तीन तरीके सूचीबद्ध कीजिए जिनके द्वारा एच.आई.वी.-एड्स का संक्रमण फैलता है । *2*

अथवा

(ख) उस पौधे का वैज्ञानिक नाम तथा उसके उस भाग का नाम लिखिए जिससे ओपिऑइड्स निकाले (प्राप्त किए) जाते हैं । यह हमारे शारीरिक प्रकार्यों को कैसे प्रभावित करता है ? *2*

collegedunia India's largest Student Review Platform

General Instructions :

Read the following instructions very carefully and strictly follow them :

(i) *This question paper consists of **13** questions.*

(ii) ***All** questions are compulsory.*

(iii) *The question paper has **three** sections – **Section A**, **B** and **C**.*

(iv) ***Section A** has **6** questions of **2** marks each.*

(v) ***Section B** has **6** questions of **3** marks each.*

(vi) ***Section C** has a case-based question of **5** marks.*

(vii) *There is no overall choice in the question paper. However, internal choices have been provided in some questions. Attempt only one of the alternatives in such questions.*

(viii) *Wherever necessary, neat, proportional and properly labelled diagrams should be drawn.*

collegedunia.com India's largest Student Review Platform

SECTION A

1. A major cause of death among infants is because of Acute Respiratory Infection (ARI) of the lower respiratory tract, which further affects the alveoli. Name the associated disease, a causative bacteria and give any two symptoms of the disease. *2*

2. A particular cyanobacteria is spread by the farmers in their fields while growing paddy. Name the cyanobacteria used and give two advantages of it. *2*

3. (a) In our country NACO and other Non-Government Organisations (NGOs) are doing a lot to educate people about AIDS. Expand 'NACO'. Enlist any three ways by which transmission of HIV-AIDS infection occurs. *2*

OR

(b) Write the scientific name of the plant and its part from which opioids are extracted. How does it affect our body functions ? *2*

collegedunia.com India's largest Student Review Platform

4. नीचे दिए गए वाहित मल उपचार संयंत्र (एस.टी.पी.) के आरेखों का अध्ययन करके इससे संबद्ध निम्नलिखित प्रश्नों के उत्तर दीजिए :





(क) वाहित मल उपचार संयंत्र (A) अथवा (B) में से कौन-सा संयंत्र नगरपालिका के मानव वाहित अपशिष्ट का उपचार अधिक प्रभावी ढंग से करेगा ?

(ख) बहि:स्राव में बी.ओ.डी. की मात्रा महत्त्वपूर्ण रूप से घट जाने तक वायुवीय टैंकों में प्राथमिक बहि:स्राव का उपचार किस प्रकार किया जाता है ? *2*

collegedunia India's largest Student Review Platform

4. Study the given diagrams of Sewage Treatment Plants (STP) and answer the questions that follow :





(a) Which of the two Sewage Treatment Plants, (A) or (B), will be more effective in treating human excreta in the municipal waste ?

(b) How is the primary effluent treated in the aeration tanks till there is significant reduction in the BOD of the effluent ? *2*

collegedunia
India's largest Student Review Platform

5. दो जातियों के सहविकास में शामिल परागण के तरीके की व्याख्या, *ऑफ्रिस* (आर्किड) तथा इसके परागणकारी कीट भ्रमरों (तथा गुंज मक्षिकाओं) के उदाहरण द्वारा कीजिए । *2*

6. (क) अजैव कारकों के प्रति जैविक अनुक्रिया के तरीकों का आरेखीय निरूपण नीचे दिए गए ग्राफ में दर्शाया गया है :



(i) बिल्ली तथा छिपकली के लिए, दो रेखाओं (A) अथवा (B) में से कौन-सी रेखा ताप के प्रति जैविक अनुक्रिया के संबंध का क्रमशः निरूपण करती है ?

(ii) प्राणी (A), प्राणी (B) से किस प्रकार भिन्न है ? व्याख्या कीजिए । *2*

अथवा

(ख) समष्टि वृद्धि प्रतिरूप को नीचे दिए गए समीकरण द्वारा वर्णित किया गया है :

$$dN/dt = rN$$

(i) दिए गए समीकरण द्वारा वर्णित समष्टि के वृद्धि मॉडल अथवा वृद्धि प्रतिरूप के प्रकार का उल्लेख कीजिए ।

(ii) समीकरण में 'r' क्या दर्शाता है ?

(iii) यदि समष्टि घनत्व (N) को समय (t) के विपरीत (साथ) ग्राफ में निरूपित किया जाए तो वृद्धि वक्र के प्रकार का उल्लेख कीजिए ।

(iv) आपके अनुसार, किसी दी गई समष्टि में इस प्रकार की वृद्धि में संसाधनों की प्राप्यता सीमित होगी अथवा असीमित होगी ? *2*

collegedunia India's largest Student Review Platform

5. Explain the pollination mechanism involved in co-evolution of the two species, namely *Ophrys* (orchid) and its insect pollinator bees (& bumble bees). *2*

6. (a) The given graph shows diagrammatic representation of organismic response to abiotic factors :



(i) Which of the two lines, (A) or (B), depicts the relationship of organismic response to temperature in cat and lizard respectively ?

(ii) Explain how animal (A) is different from animal (B). *2*

OR

(b) Given below an equation describing the growth pattern of a population :

$$dN/dt = rN$$

(i) Mention the type of growth model or growth pattern of population described by the given equation.

(ii) What does 'r' in the equation signify ?

(iii) Mention the type of growth curve that will be obtained if the population density (N) is plotted against time (t).

(iv) According to you, will the resource availability be limited or unlimited for this type of growth in a given population ? *2*

collegedunia
India's largest Student Review Platform

खण्ड ब

7. आंतरिक अंगों में त्रिविम (त्रिआयामी) प्रतिबिंब के द्वारा कैंसर के निदान (पहचान) के लिए उपयोग की जाने वाली किन्हीं दो तकनीकों के नाम लिखिए तथा किसी एक तकनीक की व्याख्या कीजिए । *3*

8. मानव शरीर के प्रतिरक्षा तंत्र का आरेखीय निरूपण नीचे दिया गया है :



(क) दिए गए चित्र में नामांकित 'X' तथा 'Y' को पहचानिए ।

(ख) आपने जिन अंगों की पहचान की है उनके दो प्रमुख प्रकार्य समझाइए । *3*

9. (क) साधारण विलोडक-हौज बायोरिऐक्टरों का उपयोग बृहद् मात्रा में पुनर्योगज प्रोटीनों के उत्पादन के लिए किया जाता है जिसमें अंतर्वस्तु का विलोडन किया जाता है तथा इसे ऑक्सीजन के साथ मिश्रित किया जाता है । विलोडक-हौज के उपयोग के कोई अन्य चार लाभ लिखिए ।

(ख) अनुप्रवाह संसाधन के पश्चात्, जैव-संश्लेषित अवस्था के उत्पाद का बाज़ार में सीधे विपणन नहीं किया जा सकता है, क्यों ? दो कारण दीजिए । *3*

collegedunia
India's largest Student Review Platform

SECTION B

7. Name any two techniques which can be used to generate a three-dimensional image to detect cancers of the internal organs and explain any one of the techniques. *3*

8. Given below is a diagrammatic representation of immune system of the human body :



(a) Identify 'X' and 'Y' in the given diagram.

(b) Explain two major functions of the organs that you have identified. *3*

9. (a) Simple stirred-tank bioreactors are used to produce large quantities of recombinant proteins, stirring the contents and mixing it with oxygen. Write any four other advantages of using stirred tank.

(b) After downstream processing, the product of the biosynthetic stage cannot be marketed directly. Why ? Give two reasons. *3*

collegedunia.com India's largest Student Review Platform

10. नीचे दिए गए पाई चार्ट द्वारा वैश्विक जैव-विविधता का प्रतिनिधित्व : प्रमुख जाति के वर्गकों की आनुपातिक संख्या को दर्शाया गया है । इसका अध्ययन करके इस पर आधारित निम्नलिखित प्रश्नों के उत्तर दीजिए :

अकशेरुकी



(क) दिए गए पाई चार्ट में 'X' तथा 'Y' को पहचानिए ।

(ख) 'X' तथा 'Y' में से कौन-सा समूह सर्वाधिक जाति (स्पीशीज़) समृद्ध वर्गिकी समूह है तथा कितने प्रतिशत से ? *3*

collegedunia
India's largest Student Review Platform

10. Study the pie chart given below, representing the global diversity : proportionate number of species of major taxa and answer the following questions based on it.



(a) Identify 'X' and 'Y' in the given pie chart.

(b) Which one of the two, 'X' or 'Y', is the most species-rich taxonomic group and by what percentage ? *3*

collegedunia.com
India's largest Student Review Platform

11. (क) आनुवंशिक इंजीनियरिंग का एक प्रभावी उपयोग उन जीनी दोषों में सुधार करना है जिनकी पहचान किसी बच्चे अथवा भ्रूण में चिह्नित की गई है । समझाइए कि ए.डी.ए. की कमी को दूर करने में जीन चिकित्सा किस प्रकार सहायक है । 3

अथवा

(ख) परिपक्व मानव इंसुलिन का योजनात्मक आरेख नीचे दिया गया है :



मानव शरीर में प्राकृतिक रूप से इसके निर्माण की प्रक्रिया r-डी.एन.ए. प्रौद्योगिकी द्वारा इसके निर्माण से किस प्रकार भिन्न है ? व्याख्या कीजिए । 3

12. निम्नलिखित कारकों ने किसी क्षेत्र की जैव-विविधता को किस प्रकार प्रभावित किया है ? व्याख्या कीजिए । 3

(क) आवासीय क्षति तथा विखंडन

(ख) अतिदोहन

collegedunia India's largest Student Review Platform

11. (a) One of the potential uses of genetic engineering is in correction of a gene defect that has been diagnosed in a child/embryo. Explain how gene therapy is of help in ADA deficiency. *3*

OR

(b) A schematic diagram of matured human insulin is given below :



How is the process of its formation naturally in the human body different from that of its formation by rDNA technology ? Explain. *3*

12. How have the following factors affected the biodiversity of an area ? Explain. *3*

(a) Habitat loss and fragmentation

(b) Over-exploitation

collegedunia.com India's largest Student Review Platform

खण्ड स

13. (क) प्रतिबंधन एंडोन्यूक्लिएज जीवाणुओं के एंज़ाइमों का एक वर्ग है जो द्विकुंडलित डी.एन.ए. अणु में न्यूक्लियोटाइडों के एक छोटे विशिष्ट अनुक्रम की पहचान करता है । इन एंज़ाइमों का नैसर्गिक/प्राकृतिक उद्देश्य जीवाणु को रोगजनकों, विशेष रूप से जीवाणुभोजियों से सुरक्षा प्रदान करना है । प्रतिबंधन एंज़ाइमों के विभिन्न वर्ग हैं, परन्तु डी.एन.ए. के हेरफेर में व्यापक रूप से टाइप-II प्रतिबंधन एंज़ाइमों का उपयोग किया जाता है क्योंकि वे डी.एन.ए. में छोटे न्यूक्लियोटाइडों के अनुक्रम को पहचानता है जो विशिष्टत: पैलिन्ड्रोमिक हैं ।

(i) किसी एक विशिष्ट प्रतिबंधन एंडोन्यूक्लिएज का नाम लिखिए तथा इस एंज़ाइम द्वारा पहचाने गए डी.एन.ए. में पैलिन्ड्रोमिक न्यूक्लियोटाइड अनुक्रम लिखिए । उस स्थल का भी उल्लेख कीजिए जहाँ पर यह काटता है ।

(ii) डी.एन.ए. के एक भाग (हिस्से) को प्रतिबंधन एंज़ाइम द्वारा काटा गया है । इसके बाद खंडों को जेल वैद्युत-कण-संचलन (इलेक्ट्रोफोरेसिस) तकनीक द्वारा अलग किया जाता है और इथीडियम ब्रोमाइड से अभिरंजित किया जाता है । उस सिद्धान्त को लिखिए जिस पर जेल वैद्युत-कण-संचलन कार्य करता है । *5*

अथवा

collegedunia
India's largest Student Review Platform

SECTION C

13. (a) Restriction endonucleases are a class of bacterial enzymes that recognize a specific short sequence of nucleotides within a double-stranded DNA molecule. The natural purpose of these enzymes is to protect bacteria from pathogens, notably bacteriophages. There are different classes of restriction enzymes, but type-II restriction enzymes are widely used in manipulating DNA as they recognize short sequence nucleotides that are typically palindromes.

(i) Name a specific restriction endonuclease and write the palindromic nucleotide sequence in the DNA recognised by this enzyme. Also, indicate the site at which it makes the cut.

(ii) A piece of DNA is cut by a restriction enzyme. The fragments are then separated by gel electrophoresis and stained by ethidium bromide. Write the principle on which gel electrophoresis works. *5*

OR

collegedunia.com India's largest Student Review Platform

(ख) मानव रोगों के उपचार तथा कृषि के क्षेत्र में पीड़कों के नियंत्रण के लिए जैव-नियंत्रक (चिकित्सीय कारक) के रूप में आर.एन.ए. अंतरक्षेप (RNAi) की बहुत अधिक संभावनाएँ हैं ।

कोलेस्टेरॉल उपापचय विकार (व्यतिक्रम) के संभावित उपचार में 'आर.एन.ए. अंतरक्षेप' (RNAi) के उपयोग को नीचे दिए गए ग्राफ द्वारा दर्शाया गया है । कुछ लोगों में आनुवंशिक उत्परिवर्तनों के कारण 'ApoB' जीन के स्तर (मात्रा) में उछाल आता है जिसके कारण उनमें हृद्-धमनी विकार (रोग) की प्रवृत्ति परिलक्षित होती है ।

'ApoB' की मात्रा को कम करने से लिपोप्रोटीनों की संख्या में कमी आ सकती है तथा रुधिर कोलेस्टेरॉल कम हो जाता है ।

ट्रेसी ज़िमरमैन तथा उसके सहयोगियों ने सन् 2006 में अमानव प्राइमेट *साइनोमोलगस* वानरों में 'ApoB' के स्तर (मात्रा) को कम करने के लिए आर.एन.ए. अंतरक्षेप (RNAi) का उपयोग किया । अपने प्रयोग के दौरान उन्होंने वानरों के एक समूह का आर.एन.ए. अंतरक्षेप (लघु अंतरक्षेपी आर.एन.एज., SiRNAs) की 1 mg/kg SiRNAs की खुराक देकर उपचार किया, वानरों के दूसरे समूह को RNAi की 2·5 mg/kg SiRNAs की खुराक देकर उपचार किया तथा वानरों के तीसरे समूह को प्रयोगात्मक नियंत्रण (कंट्रोल) के रूप में सेलाइन का अंतर्वेशन किया गया ।

प्रयोगों से प्राप्त परिणाम नीचे दिए गए ग्राफ द्वारा निरूपित किए गए हैं :



(b) RNA interference (RNAi) holds great potential as a therapeutic agent for the treatment of human diseases and as a bicontrol agent for controlling pests in the field of agriculture.

The graph given below illustrates the use of 'RNAi' for the potential treatment of disorders of cholesterol metabolism. Some people possess genetic mutations with elevated levels of 'ApoB' gene which predisposes them to coronary artery diseases.

Lowering the amount of 'ApoB' can reduce the number of lipoproteins and lower the blood cholesterol.

Tracy Zimmerman and her colleagues used RNAi in 2006 to reduce the level of 'ApoB' in non-human primates *Cynomolgus* monkeys. One group of monkeys were given RNAi treatment (Small interfering RNAs, SiRNAs) (doses 1 mg/kg SiRNAs), a second group of monkeys were given RNAi treatment (doses 2·5 mg/kg SiRNAs) and a third group of monkeys were injected with saline as control.

The results of the experiments are illustrated in the graph given below :



collegedunia.com India's largest Student Review Platform

(i) वानरों के सेलाइन तथा 2·5 mg/kg SiRNAs के 264 घण्टों तक दिए गए उपचार को क्रमशः दंड ग्राफ में 'X' तथा 'Z' के द्वारा निरूपित किया गया है, इनके 24 घण्टों के उपचार की तुलना में सेलाइन तथा 2·5 mg/kg SiRNAs के किए गए उपचार से प्राप्त परिणामों के आधार पर अपना अर्थनिरूपण (अर्थनिर्धारण) लिखिए ।

(ii) आर.एन.ए. अंतरक्षेप द्वारा निर्मित तंबाकू के पारजीनी पौधे को परजीवी *मेलॉइडोगाइन इन्कोग्निशिया* के प्रति रोधी बनाया गया । सूत्रकृमि के संक्रमण से तंबाकू का पारजीनी पौधा अपनी सुरक्षा कैसे कर पाया ? संक्षेप में व्याख्या कीजिए । 5

collegedunia.com
India's largest Student Review Platform

collegedunia.com
India's largest Student Review Platform

(i) Write your interpretation from the bars 'X' and 'Z' obtained after 264 hours of treatment of monkeys with saline and 2·5 mg/kg SiRNAs treatment respectively, in comparison to the bars obtained after 24 hours of treatment with saline and 2·5 mg/kg SiRNAs.

(ii) A tobacco plant made transgenic using RNA interference is protected from the parasite *Meloidogyne incognitia*. How is the transgenic tobacco plant able to prevent itself from infestation by the nematode ? Explain briefly. *5*

collegedunia.com India's largest Student Review Platform

collegedunia.com India's largest Student Review Platform

MARKING SCHEME

Senior Secondary School Compartment Examination TERM–II, 2022

BIOLOGY (Subject Code — 044)

[Paper Code — 57/6/1]

Maximum Marks : 35

Q. No.	EXPECTED ANSWER / VALUE POINTS	Marks
	SECTION – 'A'	
1.	• Pneumonia • *Streptococcus pneumoniae / Haemophilus influenzae* • **Symptoms** – fever, chills, cough, headache, in severe cases lips and fingers nails may turn grey to bluish in colour. ***(any two)***	½ ½ ½+½
		2
2.	• *Anabaena / Nostoc / Oscillatoria* ***(or any other correct example)*** • fix atmospheric nitrogen, acts as biofertiliser, add organic matter to the soil, increases soil fertility, reduces dependence on chemical fertilisers, replenish the soil nutrients ***(any two)***	1 ½ + ½
		2
3.	(a) • NACO – National AIDS Control Organisation • Transmission of HIV – sexual contact with infected person, by transfusion of contaminated blood and blood products, by sharing infected needles as in the case of intravenous drug abusers, from infected mother to her child through placenta ***(any three)*** (½ mark to be deducted if infected / contaminated not mentioned) **OR** (b) • *Papaver somniferum* • fruit / latex of poppy plant / inflorescence • acts as depressant / slows down body functions by binding to the opioid receptors present in the central nervous system and gastrointestinal tract.	½ ½ × 3 ½ ½ 1
		2
4.	(a) (A) (b) – In the aeration tanks the effluent is constantly agitated mechanically and air is pumped into it.	½ ½

*These answers are meant to be used by evaluators

	– Vigorous growth of aerobic microbes into flocs (masses of bacteria associated with fungal filaments to form mesh like structures) takes place. – While growing these microbes consume the major part of the organic matter in the effluent thus decreasing / reducing BOD.	½ ½
		2
5.	– *Ophyrs* employs sexual deceit (to get pollination done) – one petal of its flower (has uncanny) resemblance to the female bee in size / colour / markings – The male bee is attracted and 'pseudocopulates' with the female flower achieving pollination – When this same bee 'pseudocopulates' with another flower, it transfers pollen to it and pollinates the flower.	½ ½ ½ ½
		2
6.	(a) *(i)* A – cat B – lizard *(ii)* 'A' (Regulator) can maintain homeostasis or constancy in body temperature, but only over a limited range of environmental conditions 'B' (Conformer) changes its body temperature in accordance with the external temperature (as shown in the graph, range 35^o – 45^o C, beyond which they simply conform) **OR** (b) *(i)* Exponential growth model / Geometric growth pattern *(ii)* 'r' – intrinsic rate of natural increase *(iii)* 'J' shaped curve *(iv)* Unlimited resources	 ½ ½ ½ ½ ½ ½ ½ ½
		2
	SECTION – 'B'	
7.	• CT (Computed Tomography), MRI (Magnetic Resonance Imaging) • **Computed Tomography** – uses X-rays to generate a three dimensional image of the internals of an object. / **MRI** – uses strong magnetic fields / non – ionising radiations to accurately detect the cancer in internal organs. ***(explain any one technique)***	1 + 1 1
		3
8.	(a) 'X' – Lymph nodes 'Y' – Thymus	½ ½

collegedunia.com India's largest Student Review Platform

*These answers are meant to be used by evaluators

collegedunia.com India's largest Student Review Platform

	(b) • Lymph nodes (secondary lymphoid organ) – to trap the microorganisms or other antigens present in lymph or tissue fluid. • Thymus (primary lymphoid organ) – provide microenvironment for the development and maturation of T-lymphocytes.	1 1
		3
9.	(a) Advantages: large volumes (100 – 1000 litres) of culture can be processed, foam control system can control foam formation, temperature can be controlled by temperature control system, pH control system, optimum growth conditions can be maintained, substrate / salt / vitamins can be periodically added, small volumes of cultures can be withdrawn periodically through sampling ports ***(any four)*** (b) Product has to be formulated with suitable preservatives, clinical trials are required in case of drugs, strict quality control testing of each product is required ***(any two)***	½ × 4 ½ × 2
		3
10.	(a) X – Insects Y – Molluscs (b) • X – makes most species rich taxonomic group • more than 70% of the total	1 1 ½ ½
		3
11.	(a) Normal ADA gene is inserted into patient's cell / tissue / embryo to treat a disease. It is done by isolation of lymphocytes from the blood of the patient and culturing of lymphocytes outside the body, introduction of functional ADA cDNA into lymphocyte using retroviral vector, modified lymphocytes are injected back to the patient, if gene isolated from marrow cells producing ADA is introduced into the cells at early embryonic stage, it is a permanent cure. **OR** (b) • **Insulin production in human body:** – Synthesised naturally in the form of proinsulin consisting of polypeptide chain A and polypeptide chain B, linked together by disulphide bonds and an extra stretch called C-peptide – The C-peptide is removed during processing and proinsulin matures into functional insulin. • **Insulin production by rDNA technology** – Two DNA sequences corresponding to chain A and chain B of human insulin are synthesised – They are introduced into two different plasmids of E.coli – Chain A and chain B are produced separately,	½ ½ × 5 ½ + ½

*These answers are meant to be used by evaluators

collegedunia.com
India's largest Student Review Platform

	– extracted and combined by disulphide bond to form human insulin.	½ × 4
		3
12.	(a) • loss of habitat leads to loss of biodiversity and threatens the survival of plants and animals to extinction. • Mammals and birds requiring large territories and certain animals with migratory habits are badly affected due to fragmentation, leading to population decline. b) Many commercially important species are overharvested, endangering their existence which may lead to their extinction.	1 1 1
		3
	SECTION – ‘C’	
13.	(a) i) • *EcoRI* • 5’ – GAATTC – 3’ 3’ – CTTAAG – 5’ • *EcoRI* cuts the DNA between bases G and A from 5’ end of both DNA strands. / ↓ 5’ GAATTC 3’ 3’ CTTAAG 5’ ↑ ***(or any other correct example with relevant answer)*** ii) – DNA molecule being negatively charged moves towards the anode / positive electrode through a medium of agrose gel under an electric field. – DNA fragments separate according to their size / molecular weight (smaller the fragment size, the farther it moves) **OR** (b) i) • When monkeys are treated with saline solution, serum cholesterol level increases from 24 hours to 264 hours. • When monkeys are treated with 2.5mg/kg SiRNAs, level of serum cholesterol decreases from 24 hours to 264 hours. ii) using Agrobacterium vectors, nematode specific genes are introduced into the host plant, introduced DNA forms both sense and anti-sense RNA in the host cell, these two RNAs being complementary to each other, form a double stranded RNA, that initiates RNAi and thus silencing the specific mRNA of the nematode, nematode is unable to survive in the transgenic plant.	1 1 1 1 1 1 1 ½ x 6
		5

* * *

*These answers are meant to be used by evaluators

collegedunia.com
India's largest Student Review Platform