1. If the wavelength of sound wave increases the pitch of sound

Answer: (A) Decreases

2. A metallic wire of specific resistance s is stretched in such a way that its length is doubled and area of cross section is halved. Then the specific resistance of the wire will be

Answer: (B) s/2

3. If a glass prism is placed inside water then its dispersive power

Answer: (B) Decreases

4. In case of vibration the restoring force is

Answer: A) proportional to displacement

5. A current is passed through a conducting spring. Then the spring

Answer: D) remain unchanged

6. The ratio of the masses of two body P and Q is 1:8 and the ratio of the kinetic energy is 2:1, then the ratio of their momentum is

Answer: (C) 4:1

7. A spacecraft of mass M moving with velocity v in space explodes and reeks into pieces. After the explosion a mass m of the spacecraft is left stationary. The velocity of the other part is

Answer: (B) Mv/(Mm)

8. The resultant of two vectors of magnitudes 3 unit and 4 unit is 5 unit. The angel between the two vectors is

Answer: () п/2

9. If the weight of a body is 9.8 kg then the mass of the body is

Answer: (C) 9.8 kg

10. The dimension of specific gravity is

Answer: (A) M0L0T0

11. A body of mass 10kg is falling vertically with uniform velocity. What is the resisting force of air?



Answer: (C) 10 kgwt

12. If the electronic charge is 1.6×1019 C, then the number of electrons passing through a section of wire per second, when the wire carries a current 2A, is

Answer: (A) 1.25 x1017

13. The kinetic energy of a body of mass m is E. The momentum of the body is

Answer: (B) $\sqrt{2mE}$

14. Image formed by a plane mirror is always

Answer: (C) virtual and of same size

15. The minimum distance between the source and the reflector, so that an echo is heard is approximately equ; to (velocity of sound in air 332 m/s)

Answer: (B) 16.6 m

16. A constant force acts on two particles of masses 4kg and 16 kg during which both of them travel a distance of s meter. Both particles were initially at rest and they started off at the same time. The ratios of the speeds attained by them is

Answer: (C) 2:1

17. If the acceleration due to gravity g, is about 10 m/s2 near the surface of the earth, then at the centre of the earth g would have an approximate value of

Answer: (A) Zero

18. In case of an prism, the angel of deviation is greater for

Answer: (A) violet

19. Two resistances are joined in parallel whose resultant is $6/5 \Omega$. One of the resistance wires is broken and the effective resistance becomes 2Ω . The resistance in ohm of the wire that got broken is

Answer: (B) 3 Ω

20. The molar gas constant is the same for all gases because, at the same pressure and temperature, equal volumes of all gas have the same

Answer: (C) number of molecules



21. If the object is placed at 2f from a convex lens, then

Answer: (A) a real image is formed at 2f on the other side

22. Which one of the following instrument can be regard as nonohmic resistance?

Answer: (C) diode valve

23. Among the moving particles (α , β , γ particle), which one or which ones are not deflected by the magnetic field?

Answer: (D) γ particle

24. An object is placed in front of two plane mirrors which are perpendicular to each other. The number of images that can be seen by an observer is

Answer: (D) Infinite

25. 540 gm of ice at 0°C mixed with 540 gm of water at 80°C. The final temperature of the mixer is

Answer: (B) 40°C

26. Three resistance each of 4 ohm are connected to form an equilateral triangle. The equivalent resistance between any two corners is

Answer: (D) 8/3 ohm

27. 92U235, 92U238 differ as

Answer: (C) 92U235 has three neutrons less

28. Two bulbs when connected in parallel to a source, take 60 W each, the total power consumed when they are connected in series with the same source is

Answer: (C) 60 W

29. A train moving with a speed of 36 km/hr takes 14 sec to cross a bridge of length 100m. The length of the train is

Answer: (B) 60 m



30. The rate of radioactive disintegration increases

Answer: (A) with the increase of temperature

31. When a person uses a convex lens as a simple magnifying glass, the object must be placed at a distance

Answer: (A) less than the focal length

32. The end product of radioactive decays is

Answer: (B) lead

33. When a vapour condenses into liquid

Answer: (B) it rejects heat

34. One surface of a lens is convex and the other is concave. If radii of curvature are r1 and r2respectively, then the lens will be convex if

Answer: (C) r1<r2

35. An object is placed at a distance of f/2 from a convex lens of focal length f. The image will be

Answer: (C) at 2f, vertual and erect

36. A motor cycle and a car are moving on a horizontal road with same velocity. If they are brought to rest by the application of brakes, which provided equal retardation, then

Answer: (C) both will stop at a same distance

37. Choose the correct sequence of substance which is ordered in an increasing order of forces of attraction between the particles

Answer: (D) Oxygen, Water, Sugar

38. In a Tsunami, the entire ocean, form the surface to the bottom, participate in the wave motion. For such waves, the wave speed is given by $v=\sqrt{(gh)}$ where g is the acceleration due to gravity and h=3.0 Km is the depth of the ocean surface. A Tsunami



has been detected at a point 250Km from the shore. How much time would it take to reach the shore

Answer: (C) 24 Minutes

39. A thin wire of resistance 4 Ω is bent to form a circle. The resistance across any diameter is

Answer: (C) 1Ω

40. The note middle C played om a piano differs from middle C played on a violin because of a difference in

Answer: (D) harmonics

41. A batch of five resistors have the same value. The Ratio of the maximum and the minimum resistance that can be made out of them

Answer: (D) 25:1

42. Which device would most likely be classified as a load in an electrical circuit?

Answer: (B) Light bulb

43. At what common temperature a wooden block and a metallic block would be felt equally coldor equally hot when touched?

Answer: (C) If the temperature of both the blocks equal the temperature of the person touching them

44. The densities of two substances are the ratio 2:3 and their specific heats are in the ratio 4:3. Their thermal capacities per unit volume are in the ratio

Answer: (C) 8:9

45. The freezing point on a thermometer is marked 30° and the boiling point is marked as 180°. The reading of the thermometer at 50°C is

Answer: (C) 105°

46. In a nuclear reactor for control rod we use



Answer: (D) Cadmium

47. At STP among 32 gm of SO2,22 gm of CO2 and 17 gm of H2O gas

Answer: (C) S All gases have equal number of molecules

48. Ideal gas equation for 1 mole of ideal gas is PV=RT, the SI unit of universal gas constant Ris

Answer: (C) J Kg1K1

49. Two plane mirrors are inclined to each other at an angle θ . A ray of light is reflected first atone mirror and then at the other. The total deviation of the ray is

Answer: (A) 2θ

50. Two resistance 1 Ω and 3 Ω are connected parallel and the combination is connected to a 2volt source. The ratio of electric current through the resistance will be

Answer: (B) 3:1n

