GRE 2024 Quant Practice Test 19

Time Allowed: 1 Hour 58 Minutes | Maximum Marks: 340

General Instructions

Read the following instructions very carefully and strictly follow them:

- 1. The GRE General Test is 1 hour and 58 minutes long (with one optional 10-minute break) and consists of 54 questions in total.
- 2. The GRE exam is comprised of three sections:
 - Quantitative Reasoning: 27 questions, 47 minutes
 - Verbal Reasoning: 27 questions, 41 minutes
- 3. You can answer the two sections in any order.
- 4. As you move through a section, you can skip questions, flag them for review, and return to them later within the same section.
- 5. When you have answered all questions in a section, you can review your responses before time expires.
- 6. If there is no time remaining in the section, you will automatically be moved to your optional break screen or the next section (if you have already taken your optional break).
- 7. Each review screen includes a numbered list of the questions in that section and indicates the questions you flagged.
- 8. Clicking a question number will take you to that specific question.
- 9. You may change any answer within the time allowed for that section.
- 1. Quantity A: 2⁶⁰ Quantity B: 8²⁰
- (A) if Quantity A is greater;
- (B) if Quantity B is greater;
- (C) if the two quantities are equal;
- (D) if the relationship cannot be determined from the information given.
- 2. Given the equation $x^2 5x = 6 y^2 + 3y = 9y + 9$.

Quantity A: x
Quantity B: y

- (A) if Quantity A is greater;
- (B) if Quantity B is greater;
- (C) if the two quantities are equal;
- (D) if the relationship cannot be determined from the information given.
- 3. Working at a constant rate, Bob can produce $\frac{x}{3}$ widgets in 8 minutes. Working at a constant rate, Jack can produce 2x widgets in 40 minutes, where x>0.

Quantity A: The number of minutes it will take Bob to produce 5x widgets.

Quantity B: The number of minutes it will take Jack to produce 6x widgets.

- (A) if Quantity A is greater;
- (B) if Quantity B is greater;
- (C) if the two quantities are equal;
- (D) if the relationship cannot be determined from the information given.

Quantity A: $\frac{1}{(1+\frac{1}{t})^2}$ Quantity B: $\frac{1}{(1+\frac{1}{\sqrt{t}})^2}$

- (A) if Quantity A is greater;
- (B) if Quantity B is greater;
- (C) if the two quantities are equal;
- (D) if the relationship cannot be determined from the information given.
- From 1992 to 1993, the price of a home increased by x%. From 1993 to 1994, the price of the home then decreased by x%.

Quantity A: The price of the home at the beginning of 1992.

Quantity B: The price of the home at the beginning of 1994.

- (A) if Quantity A is greater;
- (B) if Quantity B is greater;
- (C) if the two quantities are equal;
- (D) if the relationship cannot be determined from the information given.
- 6. Quantity A: The product of the consecutive integers from 20 through 73, inclusive.

Quantity B: The product of the consecutive integers from 18 through 72, inclusive.

- (A) if Quantity A is greater;
- (B) if Quantity B is greater;
- (C) if the two quantities are equal;
- (D) if the relationship cannot be determined from the information given.
- 7. Line p is defined by the equation 2y + 3x = 6.

Quantity A: The y-intercept of line p.

Quantity B: The x-intercept of line p.

- (A) if Quantity A is greater;
- (B) if Quantity B is greater;
- (C) if the two quantities are equal;
- (D) if the relationship cannot be determined from the information given.
- 8. The length of rectangle x is 20% greater than the length of rectangle y. The width of rectangle x is 20% less than the width of rectangle y.

Quantity A: The area of rectangle x.

Quantity B: The area of rectangle y.

- (A) if Quantity A is greater;
- (B) if Quantity B is greater;
- (C) if the two quantities are equal;
- (D) if the relationship cannot be determined from the information given.
- 9. If the function f(x) is defined as f(x) = 3(x+2) + 5, then f(a-2) =
- (A) 3a
- (B) 3a + 5
- (C) 3a + 11
- (D) 3a 1
- (E) 3a 6
- 10. If the ratio of stocks to bonds in a certain portfolio is 5:3, then which of the following CANNOT be the total number of stocks and bonds?
- (A) 8
- (B) 50
- (C) 120

- (D) 160
- (E) 200
- What is the greatest integer, x, such that $\left(\frac{125^x}{25^6}\right) < 1$?
- 12. For this question, indicate all of the answer choices that apply. If $(x^2)(y^3)>0$, and $(x)(y^2)(z)<0$, which of the following must be true?
- (A) x > 0
- (B) z < 0
- (C) xy>0
- (D) yz<0
- $\begin{array}{c} \text{(E)} \ \frac{y^2}{z} < 0 \\ \text{(F)} \ xyz < 0 \end{array}$
- Five friends agree to split the cost of a lunch equally. If one of the friends 13. does not attend the lunch, the remaining four friends would each have to pay an additional \$6. What is the cost of the lunch?
- (A) 20
- (B) 24
- (C) 80
- (D) 100
- (E) 120
- 14. If a six-sided die is rolled three times, what is the probability that the die will land on an even number exactly twice and on an odd number exactly once?
- (A) $\frac{1}{8}$ (B) $\frac{1}{4}$ (C) $\frac{3}{8}$ (D) $\frac{1}{2}$ (E) $\frac{5}{8}$



For how many years did expenses exceed revenue?


- (A) 1
- (B) 2
- (C) 3
- (D) 7
- (E) 8



The percent change in profit from 2007 to 2008 is approximately what percent greater than the percent change in profit from 2008 to 2009?

- (A) 500%
- (B) 6%
- (C) 1,500%
- (D) 1,600%
- (E) 1,700%





If the revenues in 2009 were \$3 million less, and the expenses for 2009 were \$4 million more, then the average (arithmetic mean) annual profit for the 10 years shown would be approximately how much less?

- (A) \$300,000
- (B) \$400,000
- (C) \$600,000
- (D) \$700,000
- (E) \$1,000,000

18. In 1998, the list price of a home was $\frac{1}{3}$ greater than the original price. In 2008, the list price of the home was $\frac{1}{2}$ greater than the original price. By what percent did the list price of the home increase from 1998 to 2008? (Note: The fractions were missing in the text and have been inferred).

- (A) 10%
- (B) 12.5%
- (C) $16\frac{2}{3}\%$
- (D) $33\frac{1}{3}\%$
- (E) 50%

19. The figure above represents a square photograph bordered by a frame that has a uniform width of 3 inches. If the frame and the picture have the same area, and each of the photograph's sides measures x inches, which of the following equations is true?

(A)
$$x^2 = 6x + 9$$

(B)
$$x^2 = 3x^2 + 2x$$

(C)
$$x^2 = 12x + 36$$

- (D) $x^2 = 6x + 36$
- (E) $x^2 = 6x^2 + 4x$

20. On the xy-plane, the center of circle C is at point (3, -2). If the point (10, -2) lies outside of the circle and the point (3, 3) lies inside of the circle, which of the following could be the radius of the circle?

- (A) 5
- (B) 5.5
- (C) 6
- (D) 6.5
- (E) 7