

Question Paper

Conducted by the Central Board of Secondary Education (CBSE)



Time Allowed: 3 Hours

Maximum Marks: 100

General Instructions

- (i) This question paper contains **29 questions**. All questions are compulsory.
- (ii) Section A: Questions 1 to 4 carry 1 mark each.
- (iii) Section B: Questions 5 to 12 carry 2 marks each.
- (iv) Section C: Questions 13 to 23 carry 4 marks each.
- (v) Section D: Questions 24 to 29 carry 6 marks each.
- (vi) Attempt one alternative where an internal choice is provided. Follow the instructions within each question.
- (vii) Use of calculators is not allowed.

Section A

1. Find $|AB|$, if $A = \begin{bmatrix} 0 & -1 \\ 0 & 2 \end{bmatrix}$ and $B = \begin{bmatrix} 3 & 5 \\ 0 & 0 \end{bmatrix}$.

2. Differentiate $e^{\sqrt{3x}}$ with respect to x .

3. Find the order and degree (if defined) of the differential equation:

$$\frac{d^2y}{dx^2} + x \left(\frac{dy}{dx} \right)^2 = 2x^2 \log \left(\frac{d^2y}{dx^2} \right).$$

4. Find the direction cosines of a line which makes equal angles with the coordinate axes.

OR

A line passes through the point with position vector $2\hat{i} - \hat{j} + 4\hat{k}$ and is in the direction of the vector $\hat{i} + \hat{j} - 2\hat{k}$. Find the equation of the line in cartesian form.

Section B

5. Find: $\int \sqrt{3 - 2x - x^2} dx$.

6. If $A = \begin{bmatrix} p & 2 \\ 2 & p \end{bmatrix}$ and $|A^3| = 125$, then find the values of p .

7. Examine whether the operation $*$ defined on $\mathbb{R}$, the set of all real numbers, by $a * b = \sqrt{a^2 + b^2}$ is a binary operation or not, and if it is, find whether it is associative or not.

8. If $|\vec{a}| = 2$, $|\vec{b}| = 7$ and $\vec{a} \times \vec{b} = 3\hat{i} + 2\hat{j} + 6\hat{k}$, find the angle between $\vec{a}$ and $\vec{b}$.

OR

Find the volume of a cuboid whose edges are given by $-3\hat{i} + 7\hat{j} + 5\hat{k}$, $-5\hat{i} + 7\hat{j} - 3\hat{k}$ and $7\hat{i} - 5\hat{j} - 3\hat{k}$.

9. A coin is tossed 5 times. What is the probability of getting (i) 3 heads, (ii) at most 3 heads?

OR

Find the probability distribution of X , the number of heads in a simultaneous toss of two coins.

10. Find: $\int \frac{\sin^3 x + \cos^3 x}{\sin^2 x \cos^2 x} dx$.

OR

Find: $\int \frac{x-3}{(x-1)^3} e^x dx$.

11. If $P(\text{not } A) = 0.7$, $P(B) = 0.7$ and $P(B/A) = 0.5$, then find $P(A/B)$.

12. Find the general solution of the differential equation $\frac{dy}{dx} = e^{x+y}$.

Section C

13. Find the value of $\sin\left(\cos^{-1}\frac{4}{5} + \tan^{-1}\frac{2}{3}\right)$.

14. Using properties of determinants, show that

$$\begin{vmatrix} 3a & -a+b & -a+c \\ -b+a & 3b & -b+c \\ -c+a & -c+b & 3c \end{vmatrix} = 3(a+b+c)(ab+bc+ca).$$

15. Check whether the relation R defined on the set $A = \{1, 2, 3, 4, 5, 6\}$ as $R = \{(a, b) : b = a + 1\}$ is reflexive, symmetric or transitive.

OR

Let $f : \mathbb{N} \rightarrow Y$ be a function defined as $f(x) = 4x + 3$, where $Y = \{y \in \mathbb{N} : y = 4x + 3, \text{ for some } x \in \mathbb{N}\}$. Show that f is invertible. Find its inverse.

16. If $x\sqrt{1+y} + y\sqrt{1+x} = 0$ and $x \neq y$, prove that $\frac{dy}{dx} = -\frac{1}{(x+1)^2}$.

OR

If $(\cos x)^y = (\sin y)^x$, find $\frac{dy}{dx}$.

17. Prove that $\int_0^a f(x) dx = \int_0^a f(a-x) dx$ and hence evaluate $\int_0^{\pi/2} \frac{x}{\sin x + \cos x} dx$.

18. Find: $\int \frac{x^2 + x + 1}{(x+2)(x^2+1)} dx$.

19. Solve the differential equation: $x \frac{dy}{dx} = y - x \tan\left(\frac{y}{x}\right)$.

OR

Solve the differential equation: $\frac{dy}{dx} = -\left[\frac{x+y \cos x}{1+\sin x}\right]$.

20. The scalar product of the vector $\vec{a} = \hat{i} + \hat{j} + \hat{k}$ with a unit vector along the sum of the vectors $\vec{b} = 2\hat{i} + 4\hat{j} - 5\hat{k}$ and $\vec{c} = \lambda\hat{i} + 2\hat{j} + 3\hat{k}$ is equal to 1. Find the value of λ and hence find the unit vector along $\vec{b} + \vec{c}$.

21. If $(a+bx)e^{y/x} = x$, then prove that $x^3 \frac{d^2y}{dx^2} = \left(x \frac{dy}{dx} - y\right)^2$.

22. The volume of a cube is increasing at the rate of $8 \text{ cm}^3/\text{s}$. How fast is the surface area increasing when the length of its edge is 12 cm ?

23. Find the cartesian and vector equations of the plane passing through the points $A(2, 5, -3)$, $B(-2, -3, 5)$ and $C(5, 3, -3)$.

Section D

24. Find the point on the curve $y^2 = 4x$, which is nearest to the point $(2, -8)$.

25. Find $\int_1^3 (x^2 + 2 + e^{2x}) dx$ as the limit of sums.

OR

Using integration, find the area of the triangular region whose sides have the equations $y = 2x + 1$, $y = 3x + 1$ and $x = 4$.

26. If $A = \begin{pmatrix} 1 & 3 & 4 \\ 2 & 1 & 2 \\ 5 & 1 & 1 \end{pmatrix}$, find A^{-1} . Hence solve the system of equations $x + 3y + 4z = 8$, $2x + y + 2z = 5$ and $5x + y + z = 7$.

OR

Find the inverse of the following matrix, using elementary transformations: $A = \begin{pmatrix} 2 & 0 & -1 \\ 5 & 1 & 0 \\ 0 & 1 & 3 \end{pmatrix}$.

27. A company produces two types of goods, A and B, that require gold and silver. Each unit of type A requires 3 g of silver and 1 g of gold while that of type B requires 1 g of silver and 2 g of gold. The company can use at the most 9 g of silver and 8 g of gold. If each unit of type A brings a profit of Rs. 40 and that of type B Rs. 50, find the number of units of each type that the company should produce to maximize profit. Formulate the above problem as an LPP and solve it graphically. Also find the maximum profit.

28. There are three coins. One is a two-headed coin, another is a biased coin that comes up heads 75% of the time and the third is an unbiased coin. One of the three coins is chosen at random and tossed. If it shows heads, what is the probability that it is the two-headed coin?

29. Find the vector and cartesian equations of the plane passing through the points having position vectors $\hat{i} + \hat{j} - 2\hat{k}$, $2\hat{i} - \hat{j} + \hat{k}$ and $\hat{i} + 2\hat{j} + \hat{k}$. Write the equation of a plane passing through a point $(2, 3, 7)$ and parallel to the plane obtained above. Hence, find the distance between the two parallel planes.

OR

Find the equation of the line passing through $(2, -1, 2)$ and $(5, 3, 4)$, and of the plane passing through $(2, 0, 3)$, $(1, 1, 5)$ and $(3, 2, 4)$. Also find their point of intersection.

- End of Question Paper -